

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20030056093".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 15:32
S1	59	group adj (public or private) adj key\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 12:24
S2	13	S1 and (peer adj3 peer)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 12:42
S3	5	S2 and (group adj certificat\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 12:25
S4	1	"5987376".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 15:31
S5	2	"6249866".pn. or "6351813".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 09:24
S7	119	(identification\$) same (hash with (public adj key\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 10:30
S8	70	(identification\$) with (hash with (public adj key\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 10:11
S9	0	(identification\$) adj as adj hash\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 10:13
S10	64	(identification\$) with as with hash\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 10:18
S11	0	hash adj of adj (public adj key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 10:19
S12	0	hash adj of adj3 (key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 10:19

S13	0	hash adj2 of adj3 (key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 10:19
S14	2123	hash near2 (key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 10:19
S15	355	hash adj2 (public adj key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 10:19
S16	151	group adj certificat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 11:06
S17	31711	"380".CLAS. or "713".CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 11:07
S18	67	S16 and S17	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 11:07
S19	20	group adj (membership) adj certificate	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 11:08
S20	13	S19 and S17	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 11:08
S21	213	identificat\$ with hash with key\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 13:34
S22	31711	"380".CLAS. or "713".CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 13:33
S23	124	S21 and S22	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 13:34
S24	4	identificat\$ near2 hash near2 key\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 14:12

S25	46	identificat\$ with (hash near2 key\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 14:13
S26	1	"20030056111".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/09 16:16
S27	126	certificate with version with (serial adj number)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 09:54
S28	31711	"380".CLAS. or "713".CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 09:57
S29	72	S27 and S28	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 11:23
S30	16	(chain with certificat\$) with revocation	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 11:25
S31	2	(accept adj message) near2 (signed or signature)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 13:24
S32	6	(accept adj message) near2 ((signed or signature) by manager)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 13:25
S33	0	(accept adj message) near2 ((signed or signature) adj manager)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 13:25
S34	1	(accept adj message) with ((signed or signature) with manager)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 13:32
S35	0	signed adj (accept adj message)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 13:33
S36	0	signed adj ((accept or confirmed) adj message)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 13:39

S37	31711	"380".CLAS. or "713".CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 13:41
S38	575	(invite or join) adj group	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 13:40
S39	55	S37 and S38	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 13:43
S40	25	S39 and accept	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 13:43
S41	1	"20030056111".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/10 15:28